Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

INVITATION TO COOPERATION

Good day, ladies and gentlemen!

Let me introduce myself - my name is Andrei Reshetnikov. For over 15 years I have successfully engaged in industrial consulting, export and import of various segments of production, investment and marketing. Over the years a great number of my partners and clients, through my work, acquired reliable business communications in various parts of the world, have entered into long-term contracts that result in ever-increasing profits and expanding the sphere of influence of their business.

Highly individual approach to each specific task, professionalism, honesty and transparency of business relations - that is the foundation in collaboration with me!

Based on the foregoing, I invite you to cooperate!

In the name and on behalf of, but also, as the official representative of the Russian company producer, I have the honor to invite you to cooperation, the purpose of which is as follows:

- Wholesale and large wholesale deliveries of products in your country or region, your enterprise, based on needs and market conditions;
- Conclusion of the distributor, dealer or agent contracts for the supply of products in your region or country.

Attention all contacts and contracts with the manufacturer - direct, without intermediaries! No commissions, I, as a representative, do not ask!!!

Brief presentation of the manufacturer and the product:



Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

Cooperation offer

We offer mutually profitable business relationship to all interested parties. All our products have high quality and we provide all samples. We offer a flexible system of payment for the goods. The cost of our products depends on the amount of your order, terms of delivery and we are ready to discuss the price with each partner individually. We also invite you to visit our company and see the production personally.





«Empire of Plastic» works in the market of finishing materials for over 10 years. "Empire of Plastic" is a trading and manufacturing company, consisting of two production-owned enterprises, located in Novoaltaysk (Altay region) and in Ramenskoye city (Moscow region). It produces and wholesales different kinds of finish materials.



Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

"Empire of Plastic" offers a wide range of plastic goods of own production:

- Rigid PVC sheet
- Window-Sills
- Sandwich panels
- Protective PE film
- PVC film
- Polycarbonate hollow sheet «Carbotep»
- PVC Panels
- Accessories to the panels

Our production capacity:

-PVC rigid sheets - 500000pcs /month;

-PVC Window-sills -50000 m2 /month;

-PE film -4000000 m2/month:

-PVC film -1 000 000 m2/month;

-PC hollow sheets - 300t/month;

-Sandwich panels -100000 pcs/month;

-PVC wall panels -100000m2/month.

We are the leaders in production of PVC rigid sheets in Russia. Our share is about 40% of a whole Russian market in this product. As for Protective PE film, PVC film and polycarbonate, we are in the top ten of the largest manufacturers of these products in Russia.



Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

Our advantages: high quality, the possibility of producing large amounts in a short time, personal service for each client (we can do a variety of sizes, colors and configurations of products depending on the order), reasonable price, flexible system of payment.







All Empire of Plastic products are certified. Advertising support (exhibition stands, product samples, printing). Product availability is guaranteed.

Our products and their application Rigid PVC sheet

Application:

In advertising - Advertising constructions. Various drawing can be coated on a plastic surface (by printing or some adhesive film).

In construction - for production of sandwich panels for doors and windows, various mounts, PVC profiles, etc.

In the industry - for the production of equipment parts.



Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

Standard characteristic:

- standard length 3 m;
- standard width 1.5, 2.0 m;
- thickness from 0,35 mm to 1mm;
- high strength and stiffness;
- the durability of the material;
- noncombustible material;
- environmentally safe material, recycable;
- the perfect surface for printing and membranous applications.







Window sills



Characteristics of window sills:

- standard length 6 m;
- width from 100 mm to 800 mm;
- high strength at low weight;
- noncombustible material;
- a wide range of colors;
- blank plug with same color as window sill;

Stiffening ribs – vertical and diagonal. It improves the stiffness of the window sill. The product is packed in thick plastic bags, 1 pack/two pieces.





Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

Sandwich panels



Sandwich panel's size is 1500x3000mm or 2000x3000mm (standard sizes) and it consists of three layers. Two external layers are made of rigid PVC sheet. There is also an inner layer of expanded polystyrene (XPS board) between rigid PVC sheets.

Layers are stuck together with glue. Rigid PVC sheets have a thickness from 0,35 mm to 1 mm. The outer surface of the sandwich panels are covered with a protective film. Standard thickness of sandwich panels is 10, 16, 24, 32, 40 mm. The color of sandwich panels is usually white. Its surface can be glossy and matte. It also can be laminated by colorful PVC film: dark oak, golden oak, mahogany.

Application:

Windows and doors filling of any type and purpose;
Dividing walls and partitions;

The elements of elbow places, the facades of buildings and structures; Sandwich panel used as an additional heat-saving material, gives the present-room aesthetic appearance








Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

Protective PE film

Protective PE film (colored, transparent, opaque, black and white) used for protection of different materials' surfaces (plastic, metal, glass, wood) from scratches, dirt and abrasions, which can damage the product during transportation, storage, installation and other process. Protective PE film is needed in the production of sandwich panels, MDF, window and PVC profiles, sheeting,





Standard characteristic:

PE film thickness is 0,02-0,12mm.

Width is up to 2000 mm.

Material: LDPE, LLDPE.

We have different adhesion for different

surfaces

The short production time







Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

PVC film

PVC film for laminating of window sill.

Thickness of the film is 0,2 mm.

Width is up to 1400 mm.

Standard length of roller is 500 liner meters.

PVC Film brand PDH for decorative and household items.

Thickness 0,15-0,20 mm (+0,02 mm).

PVC Film brand PGP

Used for lining haberdashery. Thickness 0,25-0,30mm (+0,02 mm).


PVC Film brand PB.

Used for paper and stationery products. Thickness 0,20-0,40 mm (+0.02 mm).

PVC Film brand ON.

Used for the manufacture of fancy goods.

Thickness 0,40 MM (+0,02 MM).



Used for the preservation of vehicles, aircraft structures and cable products. Thickness 0,23-0,40 mm (+0,02 mm).

Soft PVC film to protect oil and gas products pipelines Thickness 0,40-0,60 mm (+0,02 mm). Width 1200 мм.

Length of roller is upto 300 liner meters. It depends on the film thickness.

Max width is 1400 mm











Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2

PVC panels

PVC panels used in building construction for interior decoration. Printing on the front side of the panel is made by transfer printing,

lamination and offset printing.


Standard size:


Length 2700, 3000, 6000 mm; Width 250, 370, 500 mm;

Thickness 8 mm.



Components for PVC panels





Polycarbonate boards «CARBOTEP»


Our PC boards have the following thickness: 4, 6, 8, 10, 16 mm. Standard width is 2100, standard length 6000 mm and 12000 mm. application:

In construction for making roofs, fences, sheds.

In agriculture - for greenhouses.

In advertising





Features of polycarbonate:

Polycarbonate is lighter than glass in 15 times

high resistance to mechanical stress and sudden shock loads.

Excellent thermal insulation

Highly flexible, yet virtually unbreakable

Lightweight and easy to install

Hollow sheet structure provides extra strength under wind and snow loads.

Different colors - 10 colors.

Reshetnikov Andrei mybgland@mail.com + 359 89 234 123 1 Skype: andrei.reshetnikov2



Ready to answer all questions: e-mail: mybgland@mail.com tel: +359 89 234 123 1

I look forward to hearing from you. With respect to you and your lifestyle, Reshetnikov Andrei.